



+91 97265 91801  
+91 97265 91800



[www.shreejeelectric.com](http://www.shreejeelectric.com)



[www.humidifier.co.in](http://www.humidifier.co.in)



[sales.shreejeelectric@gmail.com](mailto:sales.shreejeelectric@gmail.com)

**SHREEJI<sup>®</sup>**  
**HUMIDIFIER**





We "**SHREEJI HUMIDIFIER**" are manufacturer of Ultrasonic Humidifiers and Mist Makers with SMPS and Ultrasonic Atomizer to International standard catering to entire low Power spectrum. We are offering latest technology with distinguishing features of reliability, safety and rugged construction at an affordable price with large range of Humidifiers and Mist Makers.

**"WE UNDERSTAND YOUR NEEDS & VALUE OF YOUR MONEY"**

**"QUALITY WITH TRUST"**

### **WHO WE ARE ?**

Incorporated in 2011, We "SHREEJI HUMIDIFIER" are engaged in supplying Ultrasonic Humidifier Machines & Mist Maker with use of updated technology. We keep providing latest and the most convenient machines to our customers, coming with high speed, smooth functioning and longer service life.

Our QC Department Conducts Checks on Inputs and different stages of production to ensure that Quality of the final products is maintained as per the highest Quality standards.

**"IT IS A COMMITMENT, A SENSE OF LOYALTY, NOT AN OBLIGATION"**

### **TECHNICAL TEAM**

The experienced treatment and Engineers are parts of our Enthusiastic and dedicated team. Their rust experience cover various sector of manufacturing units & all of them are individually capable of providing solutions, taking initiatives and finding out the resource you can bank of them.

### **PRODUCT RANGE**

- **ULTRASONIC MIST MAKER PLATE**
- **ULTRASONIC HUMIDIFIER**
- **POTATO COLD STORAGE HUMIDIFIER**
- **INDUSTRIAL HUMIDIFIER**
- **FOOD & BEVERAGES HUMIDIFIER**
- **VEGETABLES COLD STORAGE HUMIDIFIER**
- **FRUITS COLD STORAGE HUMIDIFIER**
- **TEXTILE PLANT HUMIDIFIER**
- **LABORATORY HUMIDIFIER**
- **MUSEUM/GALLERY HUMIDIFIER**
- **CASHEW PLANT HUMIDIFIER**
- **BANANA REPENING HUMIDIFIER**
- **TUBOR HUMIDIFIER**
- **PAPER & PULP HUMIDIFIER**
- **GREEN HOUSE HUMIDIFIER**
- **WOOD PROCESSING HUMIDIFIER**
- **WAREHOUSE HUMIDIFIER**
- **PHARMACEUTICALS HUMIDIFIER**
- **OPTICAL GLASS HUMIDIFIER**
- **PACKAGING HUMIDIFIER**



### **APPLICATION OF HUMIDIFIER**

Too low room humidity can lead to health problems through drying out of the mucous membranes. Dryness affects the functioning of the cilia in the air passage. Consequently the self-cleaning of the air passages is impaired and the susceptibility to colds increased, Plastic parts become electrically charged in low air humidity and attract dust particles. Additionally unpleasant discharge effects can occur when touching charges surface, the air in heated room becomes especially dry in winter. Air conditioned systems that only circulate the air by mixing it proportionally with fresh air will not humidify the room.

Whereas room air humidifier will contribute to the well-being and health for people who remain in rooms for longer periods of time. Room air humidifier are used in office spaces just as in school, Nurseries, Hospitals and operating theaters. In such area air humidity of 30-65% RH (for operating Theaters, in hospitals as high even as 50-70%) are recommended electrostatic charging will be reduce up to 40% RH and can even be prevented if air humidification is increased. This is Essential, Especially in Computer Rooms, It Centres and Telephone Exchanges. Many Materials Are Sensitive to Changing Humidity as They Can Shrink and Loose Their Elasticity. Consequently It Is Important To Ensure That the Correct Humidification Is Specified For Environments Where Expensive Objects Are Warehoused And Stored.

### **INDUSTRIAL HUMIDIFIER**

Maintain a 95 percent relative humidity at all times. High humidity is essential for optimum Wound healing during the curing period. It is also essential during the entire storage period to minimize Tuber weight loss; weight loss rapidly increases at relative humidity levels below 90 percent.

### **USAGE OF HUMIDIFIER**

<b>Cold Storages</b>	<b>Warehouse</b>	<b>Tobacco Industries</b>
<b>Cashew Plant</b>	<b>Data/Server Centre</b>	<b>Gallery/Museum</b>
<b>Mushroom Plant</b>	<b>Food &amp; Beverages</b>	<b>Melt blown Industry</b>
<b>Fruit Ripening Plant</b>	<b>Cement Plant</b>	<b>Defence</b>
<b>Textile Industries</b>	<b>Optical/Glass</b>	<b>Research Organization</b>
<b>Laboratories</b>	<b>Wood/Laminates</b>	<b>Engineering</b>
<b>Electronics</b>	<b>Medical Device</b>	<b>Hospitals</b>
<b>Chemical Storage</b>	<b>Personal Health</b>	<b>Explosive &amp; Munitions</b>
<b>Tea Production</b>	<b>Manufacturing Unit</b>	<b>Printing &amp; Packaging</b>
<b>Paper &amp; Pulp industries</b>	<b>Pharmaceuticals</b>	<b>Power Plants</b>



**ULTRASONIC MIST MAKER**

**MODEL NO. :- SE-6L-10H**

ATOMIZATION QUANTITY	:- 6L / HR.
RATED POWER	:- 250 W
INPUT VOLTAGE	:- DC 48 V
CURRENT	:- 5 AMP
APPLYING SPACE	:- 3m <sup>3</sup>
SHELL MATERIAL	:- S.S. 304
CONFIGURATION	:- BARE WIRE
DIMENSION	:- L(252) X W(93) X H(70)



**ULTRASONIC MIST MAKER**

**MODEL NO. :- SE-3L-4H**

ATOMIZATION QUANTITY	:- 3L / HR.
RATED POWER	:- 100 W
INPUT VOLTAGE	:- DC 24 V
CURRENT	:- 4.5 AMP
APPLYING SPACE	:- 3m <sup>3</sup>
SHELL MATERIAL	:- S.S. 304
CONFIGURATION	:- BARE WIRE
DIMENSION	:- L(113) X W(68) X H(52)





**ULTRASONIC MIST MAKER**

**MODEL NO. :- SE-500ML-1H**

ATOMIZATION QUANTITY	:- 500ML / HR.
RATED POWER	:- 20 W
INPUT VOLTAGE	:- DC 24 V
CURRENT	:- 1 AMP
APPLYING SPACE	:- 3m <sup>3</sup>
SHELL MATERIAL	:- S.S. 304
CONFIGURATION	:- BARE WIRE
DIMENSION	:- DIA. 38 X 25 MM



**ULTRASONIC MIST MAKER**

**MODEL NO. :- SE-7L-10H**

ATOMIZATION QUANTITY	:- 7L / HR.
RATED POWER	:- 250 W
INPUT VOLTAGE	:- DC 48 V
CURRENT	:- 5 AMP
APPLYING SPACE	:- 3m <sup>3</sup>
SHELL MATERIAL	:- S.S. 304
CONFIGURATION	:- BARE WIRE
DIMENSION	:- L(275) X W(88.5) X H(47.5)





### ULTRASONIC HUMIDIFIER MACHINE MODEL NO. :- SE-3 (MANUALLY)

<b>MIST MAKING CAPACITY</b>	<b>:- 3L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 130 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 8 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 09 TO 10 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 410 X 180 X 270</b>
<b>WATER TANK CAPACITY</b>	<b>:- 06 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE MODEL NO. :- SE-6 (MANUALLY)

<b>MIST MAKING CAPACITY</b>	<b>:- 6L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 280 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 4 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 13 TO 16 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 205 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 11 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-6C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 6L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 280 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 4 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 13 TO 16 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 205 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 11 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>







### ULTRASONIC HUMIDIFIER MACHINE MODEL NO. :- SE-7 (MANUALLY)

<b>MIST MAKING CAPACITY</b>	<b>:- 7L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 280 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 4 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 13 TO 16 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 205 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 11 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-7C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 7L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 280 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 4 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 13 TO 16 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 205 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 11 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE MODEL NO. :- SE-12 (MANUALLY)

<b>MIST MAKING CAPACITY</b>	<b>:- 12L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 560 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 2 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 21 TO 25 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 410 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-12C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 12L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 560 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 2 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 21 TO 25 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 410 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE MODEL NO. :- SE-14 (MANUALLY)

<b>MIST MAKING CAPACITY</b>	<b>:- 14L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 560 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 2 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 21 TO 25 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 410 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-14C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 14L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 560 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 2 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 21 TO 25 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 410 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-18C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 18L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 840 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 1.5 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 25 TO 30 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 615 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-21C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 21L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 840 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 1.5 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 25 TO 30 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 615 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 18 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>







### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-24C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 24L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 1120 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 1 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 36 TO 42 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 820 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 34 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-30C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 30L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 1400 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 45 MINUTES</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 38 TO 43 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 820 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 34 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-35C (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 35L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 1680 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 35 MINUTES</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 38 TO 43 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 600 X 820 X 400</b>
<b>WATER TANK CAPACITY</b>	<b>:- 34 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- S.S. 304 WITH MIRROR BUFFING</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SE-08 (CENTRIFUGAL)

<b>MIST MAKING CAPACITY</b>	<b>:- 8L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 90 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT / 8 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 07 TO 09 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 350 X 350 X 360</b>
<b>WATER TANK CAPACITY</b>	<b>:- 03 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM. WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- PLASTIC BODY</b>





### ULTRASONIC HUMIDIFIER MACHINE

### MODEL NO. :- SEMS-6/12 (AUTOMATIC)

<b>MIST MAKING CAPACITY</b>	<b>:- 06L/HR. &amp; 12L/HR.</b>
<b>HUMIDITY CONTROL</b>	<b>:- UP TO 95%</b>
<b>POWER (WATTS)</b>	<b>:- 280 W / 560 W</b>
<b>SUPPLY VOLTAGE/FREQUENCY</b>	<b>:- 230V AC / 50HZ</b>
<b>POWER CONSUMPTION</b>	<b>:- 1 UNIT/4 HOUR &amp; 1 UNIT/2 HOUR</b>
<b>WORKING TEMPERATURE</b>	<b>:- 5 TO 46° CELSIUS</b>
<b>HUMIDITY SENSOR</b>	<b>:- RH 100</b>
<b>HUMIDITY CONTROL METER</b>	<b>:- MHC-512</b>
<b>AIR VOLUME</b>	<b>:- 360 M<sup>3</sup> / HOUR</b>
<b>WATER LEVEL CONTROL</b>	<b>:- AUTOMATIC</b>
<b>NET WEIGHT</b>	<b>:- 20 TO 22 KG</b>
<b>DIMENSION (mm)</b>	<b>:- 320 X 460 X 420</b>
<b>WATER TANK CAPACITY</b>	<b>:- 12 LITRES</b>
<b>SUITABLE ROOM SIZE (ft.)</b>	<b>:- Depend on Product</b>
<b>WATER QUALITY</b>	<b>:- TDS &lt; 100PPM (DM WATER IDEAL)</b>
<b>BODY MATERIAL</b>	<b>:- M.S. POWDER COATED</b>





### DESIRED STORAGE ENVIRONMENT OF FRUITS AND VEGETABLES IN THE COLD STORAGE:

Commodity	Temperature (°C)	Relative Humidity (%)
Apple	-1 – 3	90 – 98
Apricots	-0.5 – 0	90 – 95
Avocado	7 – 13	85 – 90
Asparagus	0 – 2	95 – 97
Beans, Green	4 – 7	90 – 95
Beet Roots	0 – 2	95 – 97
Broccoli	0 – 2	90 – 95
Black berry	-0.5 – 0	95 – 97
Cabbage	0 – 2	90 – 95
Carrots	0 – 2	90 – 95
Cauliflower	0 – 2	90 – 95
Cherries	0.5 – 0	90 – 95
Cucumber	7 – 10	90 – 95
Eggplant	0 – 2	90 – 95
Grapes	-1 – 1	85 – 90
Lemons	4 – 15	86 – 88
Lettuce	0 – 1	95 – 98
Lime	3 – 10	85 – 90
Mango	11 – 18	85 – 90
Watermelon	2 – 4	85 – 90
Orange	0 – 10	85 – 90
Peach	-1 – 1	88 – 92
Potato	1.5 – 4	90 -94



### DESIRED STORAGE ENVIRONMENT IN DIFFERENT TYPES OF INDUSTRIES:

Commodity	Temperature (°C)	Relative Humidity (%)
Cold Room	15-20	60-85
Ripening Room	2-15	79-95
Eggs	20-25	80-90
Fruits & Vegetables	17-23	80-90
Honey	1-3	70-75
Tobacco	22-25	70-80
Tea	15-20	60-65
Books	20-32	40-50
Antiques	25-35	35-45
Pictures	20-25	20-25
Sculptures	25-30	25-30
Cleanrooms	30-35	35-40
Construction	35-45	40-45
Banking	25-30	30-35
Cheese Dairy	2-15	75-95
Textile Industry	20-30	55-65
Wood Processing	30-35	45-60
Paper Industry	25-30	50-65
Printing	25-35	50-60
Animal Husbandry	36-39	70-75
Green Houses	25-35	60-95



# SHREEJI<sup>®</sup>

## HUMIDIFIER

Under the valuable guidance of our mentor "MR. BHAVESH DABHI", our organization has attained a strong position in the market within a short period of commencement. His commendable knowledge, Aesthetic business decisions, ethical & client centric policies and positive approach have played a key role in winning the trusts of a wide client base across the country.

### OUR CLIENTS



### EXPORT COUNTRIES

NEPAL, SOUTH AFRICA, SRI LANKA, MYANMAR, BANGLADESH, BHUTAN, IRAN, IRAQ, RIYADH, DUBAI, UAE, CANADA, AMERICA, NEW ZELAND, GERMANY...



# SHREEJI<sup>®</sup>

## HUMIDIFIER

"WE UNDERSTAND YOUR NEEDS & VALUE OF YOUR MONEY"



एक कदम स्वच्छता की ओर